




sambient
environment technology

Pe-Schächte

DN 800 mm mit und ohne Steigstufen






PE-Schacht Ø 800 mm Zuläufe bis Ø 315 mm

SAM-080-3C-125-31	Höhe	1250 mm
SAM-080-3C-150-31	Höhe	1500 mm
SAM-080-3C-175-31	Höhe	1750 mm
SAM-080-3C-200-31	Höhe	2000 mm
SAM-080-3C-225-31	Höhe	2250 mm
SAM-080-3C-250-31	Höhe	2500 mm
SAM-080-3C-275-31	Höhe	2750 mm
SAM-080-3C-300-31	Höhe	3000 mm



PE-Schacht Ø 800 mm 3 inlets upto Ø 315 mm, mit Stufen

SAM-080-3CS-125-31	Höhe	1250 mm
SAM-080-3CS-150-31	Höhe	1500 mm
SAM-080-3CS-175-31	Höhe	1750 mm
SAM-080-3CS-200-31	Höhe	2000 mm
SAM-080-3CS-225-31	Höhe	2250 mm
SAM-080-3CS-250-31	Höhe	2500 mm
SAM-080-3CS-275-31	Höhe	2750 mm
SAM-080-3CS-300-31	Höhe	3000 mm



PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 400 mm

SAM-080-3C-125-40	Höhe	1250 mm
SAM-080-3C-150-40	Höhe	1500 mm
SAM-080-3C-175-40	Höhe	1750 mm
SAM-080-3C-200-40	Höhe	2000 mm
SAM-080-3C-225-40	Höhe	2250 mm
SAM-080-3C-250-40	Höhe	2500 mm
SAM-080-3C-275-40	Höhe	2750 mm
SAM-080-3C-300-40	Höhe	3000 mm



PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 400 mm - mit Stufen

SAM-080-3CS-125-40	Höhe	1250 mm
SAM-080-3CS-150-40	Höhe	1500 mm
SAM-080-3CS-175-40	Höhe	1750 mm
SAM-080-3CS-200-40	Höhe	2000 mm
SAM-080-3CS-225-40	Höhe	2250 mm
SAM-080-3CS-250-40	Höhe	2500 mm
SAM-080-3CS-275-40	Höhe	2750 mm
SAM-080-3CS-300-40	Höhe	3000 mm



sambient
environment technology



PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 500 mm


SAM-080-3C-150-50	Höhe	1500 mm
SAM-080-3C-175-50	Höhe	1750 mm
SAM-080-3C-200-50	Höhe	2000 mm
SAM-080-3C-225-50	Höhe	2250 mm
SAM-080-3C-250-50	Höhe	2500 mm
SAM-080-3C-275-50	Höhe	2750 mm
SAM-080-3C-300-50	Höhe	3000 mm

Art. Nr.: SAM-080-3C-XXX-50



PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 500 mm - mit Stufen

SAM-080-3CS-150-50	Höhe	1500 mm
SAM-080-3CS-175-50	Höhe	1750 mm
SAM-080-3CS-200-50	Höhe	2000 mm
SAM-080-3CS-225-50	Höhe	2250 mm
SAM-080-3CS-250-50	Höhe	2500 mm
SAM-080-3CS-275-50	Höhe	2750 mm
SAM-080-3CS-300-50	Höhe	3000 mm




PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 630 mm

SAM-080-3C-150-63	Höhe	1500 mm
SAM-080-3C-175-63	Höhe	1750 mm
SAM-080-3C-200-63	Höhe	2000 mm
SAM-080-3C-225-63	Höhe	2250 mm
SAM-080-3C-250-63	Höhe	2500 mm
SAM-080-3C-275-63	Höhe	2750 mm
SAM-080-3C-300-63	Höhe	3000 mm



PE-Schacht Ø 800 mm 3 Zuläufe bis Ø 630 mm - mit Stufen

SAM-080-3CS-150-63	Höhe	1500 mm
SAM-080-3CS-175-63	Höhe	1750 mm
SAM-080-3CS-200-63	Höhe	2000 mm
SAM-080-3CS-225-63	Höhe	2250 mm
SAM-080-3CS-250-63	Höhe	2500 mm
SAM-080-3CS-275-63	Höhe	2750 mm
SAM-080-3CS-300-63	Höhe	3000 mm



PE-Schacht Ø 800 mm with Flachboden

SAM-080-CA-125	Höhe	1250 mm
SAM-080-CA-150	Höhe	1500 mm
SAM-080-CA-175	Höhe	1750 mm
SAM-080-CA-200	Höhe	2000 mm
SAM-080-CA-225	Höhe	2250 mm
SAM-080-CA-250	Höhe	2500 mm
SAM-080-CA-275	Höhe	2750 mm
SAM-080-CA-300	Höhe	3000 mm



PE-Schacht Ø 800 mm - Flachboden, mit Stufen

SAM-080-CAS-125	Höhe	1250 mm
SAM-080-CAS-150	Höhe	1500 mm
SAM-080-CAS-175	Höhe	1750 mm
SAM-080-CAS-200	Höhe	2000 mm
SAM-080-CAS-225	Höhe	2250 mm
SAM-080-CAS-250	Höhe	2500 mm
SAM-080-CAS-275	Höhe	2750 mm
SAM-080-CAS-300	Höhe	3000 mm



PE-Schacht Ø 800 mm - Rundboden

SAM-080-CR-125	Höhe	1250 mm
SAM-080-CR-150	Höhe	1500 mm
SAM-080-CR-175	Höhe	1750 mm
SAM-080-CR-200	Höhe	2000 mm
SAM-080-CR-225	Höhe	2250 mm
SAM-080-CR-250	Höhe	2500 mm
SAM-080-CR-275	Höhe	2750 mm
SAM-080-CR-300	Höhe	3000 mm



PE-Schacht Ø 800 mm - Rundboden, mit Stufen

SAM-080-CRS-125	Höhe	1250 mm
SAM-080-CRS-150	Höhe	1500 mm
SAM-080-CRS-175	Höhe	1750 mm
SAM-080-CRS-200	Höhe	2000 mm
SAM-080-CRS-225	Höhe	2250 mm
SAM-080-CRS-250	Höhe	2500 mm
SAM-080-CRS-275	Höhe	2750 mm
SAM-080-CRS-300	Höhe	3000 mm